## **EAST Search History**

| Ref# | Hits  | Search Query          | DBs                                                     | Default<br>Operator | Plurals | Time Stamp          |
|------|-------|-----------------------|---------------------------------------------------------|---------------------|---------|---------------------|
| L1   | 18158 | immunoglobulin.ab.    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:57 |
| L2   | 18158 | immunoglobulin.ab.    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:57 |
| L3   | 0     | L2 and stabalized.ab. | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:57 |
| L4   | 189   | L2 and stabilized.ab. | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:58 |
| L5   | 189   | L2 and stabilized.ab. | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:58 |
| L6   | 34    | L5 and substitution   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:58 |
| L7   | 34    | L5 and substitution   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:58 |
| L8   | 4     | L7 and igg1           | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:58 |
| L9   | 16    | L5 and mutation       | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ                 | ON      | 2009/06/10<br>16:58 |

| L10 | 727   | L2 and mutation.ab.                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:58 |
|-----|-------|-----------------------------------------|---------------------------------------------------------|-----|----|---------------------|
| L11 | 727   | L2 and mutation.ab.                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:58 |
| L12 | 3     | L11 and stabilize                       | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:58 |
| L13 | 17    | L11 and stabilized                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:58 |
| L14 | 9285  | heat near (tolerance or<br>degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:59 |
| L15 | 18158 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:59 |
| L16 | 9285  | heat near (tolerance or degradation)    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:59 |
| L17 | 18158 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:59 |
| L18 | 4     | L16 and L17                             | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:59 |
| L19 | 18158 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/06/10<br>16:59 |

| S1         | 10200 | immunoglobulin.ab.                   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:16 |
|------------|-------|--------------------------------------|---------------------------------------------------------|-----|----|---------------------|
| S2         | 0     | S1 and stabalized.ab.                | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:17 |
| S3         | 101   | S1 and stabilized.ab.                | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:34 |
| S4         | 22    | S3 and substitution                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:22 |
| <b>S</b> 5 | 1     | S4 and igg1                          | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:23 |
| S6         | 6     | S3 and mutation                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:29 |
| S7         | 210   | S1 and mutation.ab.                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:35 |
| <b>S</b> 8 | 0     | S7 and stabilize                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>08:35 |
| S9         | 6     | S7 and stabilized                    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>10:23 |
| S10        | 7502  | heat near (tolerance or degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>10:24 |

| S11 | 10200 | immunoglobulin.ab.     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>10:24 |
|-----|-------|------------------------|---------------------------------------------------------|-----|----|---------------------|
| S12 | 4     | S10 and S11            | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2007/08/29<br>10:25 |
| S13 | 16379 | immunoglobulin.ab.     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:03 |
| S14 | 16379 | immunoglobulin.ab.     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:03 |
| S15 | 0     | S14 and stabalized.ab. | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:03 |
| S16 | 167   | S14 and stabilized.ab. | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |
| S17 | 167   | S14 and stabilized.ab. | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |
| S18 | 30    | S17 and substitution   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |
| S19 | 30    | S17 and substitution   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |
| S20 | 3     | S19 and igg1           | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |

| S21 | 646   | S14 and mutation.ab.                    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |
|-----|-------|-----------------------------------------|---------------------------------------------------------|-----|----|---------------------|
| S22 | 13    | S21 and stabilized                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:04 |
| S23 | 8299  | heat near (tolerance or<br>degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:05 |
| S24 | 8299  | heat near (tolerance or<br>degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:05 |
| S25 | 16379 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:05 |
| S26 | 4     | S24 and S25                             | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2008/07/07<br>11:05 |
| S27 | 17228 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:07 |
| S28 | 17228 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:07 |
| S29 | 176   | S28 and stabilized.ab.                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:07 |
| S30 | 176   | S28 and stabilized.ab.                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:07 |

| <b>S</b> 31 | 33    | S30 and substitution                 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:07 |
|-------------|-------|--------------------------------------|---------------------------------------------------------|-----|----|---------------------|
| S32         | 33    | S30 and substitution                 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S33         | 3     | S32 and igg1                         | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S34         | 15    | S30 and mutation                     | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| <b>S</b> 35 | 676   | S28 and mutation.ab.                 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S36         | 676   | S28 and mutation.ab.                 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| <b>S</b> 37 | 14    | S36 and stabilized                   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S38         | 8881  | heat near (tolerance or degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S39         | 17228 | immunoglobulin.ab.                   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S40         | 8881  | heat near (tolerance or degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |

| S41 | 17228 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
|-----|-------|-----------------------------------------|---------------------------------------------------------|-----|----|---------------------|
| S42 | 4     | S40 and S41                             | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:08 |
| S43 | 17228 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S44 | 17228 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S45 | 176   | S44 and stabilized.ab.                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S46 | 176   | S44 and stabilized.ab.                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S47 | 33    | S46 and substitution                    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S48 | 33    | S46 and substitution                    | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S49 | 3     | S48 and igg1                            | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:09 |
| S50 | 8881  | heat near (tolerance or<br>degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:10 |

| S51 | 8881  | heat near (tolerance or<br>degradation) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:10 |
|-----|-------|-----------------------------------------|---------------------------------------------------------|-----|----|---------------------|
| S52 | 17228 | immunoglobulin.ab.                      | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:10 |
| S53 | 4     | S51 and S52                             | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | ADJ | ON | 2009/01/15<br>16:10 |

## 6/10/09 5:00:07 PM

C:\ Documents and Settings\ rzeman\ My Documents\ EAST\ Workspaces\ 10751744.wsp